





Drylac®
Powder Coatings




Facade & Architectural Design Special Effects

Actual Powder Coated Samples

Durable Powder Coating
QUALICOAT Class I | GSB Florida 1

Series
29



Elegance and quality in perfect harmony

The purpose of a facade is multifaceted and is somewhat comparable to that of the human skin. It gives the building its individual charm, separates the interior from the exterior and protects it against sun, wind and weather. Thus, when it comes to selecting the best-possible coating of the facade, apart from high quality, the design plays a crucial part too.

TIGER Drylac® Series 29 for metal facades and steel construction is subject to the strict quality and test regulations of GSB International and QUALICOAT. It stands out with its weather and abrasion resistance and its UV and corrosion stability. The wide range of colors, gloss levels, metallic and texture effects makes it an indispensable product for architects and builders who value durable surface finishing.

TIGER Drylac®

Durable Powder Coating for Metal Facades & Steel Construction

All items available from stock.



Carbon 01 (approx. RAL 7021)
TIGER Drylac® 29/80070 | FT/MT



Black Grey Metallic
TIGER Drylac® 29/71335 | METF/MT | C



approx. DB 703 Metallic
TIGER Drylac® 29/80077 | METF/MT | C



Bianco 02 (approx. RAL 9010)
TIGER Drylac® 29/10797 | FT/MT



approx. Iron Glimmer P7
TIGER Drylac® 29/80081 | METF/MT | C



Anthracite Grey Metallic
TIGER Drylac® 29/71334 | METF/MT | C



Green Speckle
TIGER Drylac® 29/50370 | FT/MT | D



Grey Brown
TIGER Drylac® 29/60674 | METF/MT | B



Fire Green
TIGER Drylac® 29/50704 | METF/MT | B



Sparkling Iron Effect Medium
TIGER Drylac® 29/70786 | METF/MT | C



MET/GL = metallic glossy | MET/SGL = metallic semi gloss | MET/MT = metallic matte
METF/MT = metallic fine texture matte | FT/MT = fine texture matte

FlexCURE

Please note:
we will gradually convert our products
to the all new TIGER Drylac® Series 18
FlexCURE technology.



Scan me!
for more information



approx. RAL 9007
TIGER Drylac® 29/90147 | METF/MT | B



Silverglimmer
TIGER Drylac® 29/90092 | METF/MT | B



approx. RAL 9006
TIGER Drylac® 29/90146 | METF/MT | A



Terra Brown
TIGER Drylac® 29/60731 | METF/MT | B



Red Brown
TIGER Drylac® 29/30401 | METF/MT | B



Sepia Brown
TIGER Drylac® 29/60740 | METF/MT | B



Red Brown
TIGER Drylac® 29/30402 | METF/MT | B



Marrone 05
TIGER Drylac® 29/70795 | FT/MT





approx. RAL 9006
TIGER Drylac® 29/91600 | MET/MT | A



approx. RAL 9007 IG
TIGER Drylac® 29/90048 | MET/SGL | B



approx. DB 702 IG
TIGER Drylac® 29/70588 | MET/MT | B



Silver*
TIGER Drylac® 29/91041 | MET/SGL | B



approx. DB 702
TIGER Drylac® 29/70790 | MET/MT | B



approx. RAL 9007
TIGER Drylac® 29/91560 | MET/GL | B



approx. RAL 9006
TIGER Drylac® 29/90045 | MET/SGL | A



approx. Iron Glimmer P4
TIGER Drylac® 29/70129 | MET/MT | B



approx. DB 703 HE
TIGER Drylac® 29/70271 | MET/MT | B



approx. RAL 9022 Pearl Light Grey
TIGER Drylac® 29/70199 | MET/MT | B



approx. DB 701 IG
TIGER Drylac® 29/70587 | MET/MT | B



Sparkling Iron Effect Light
TIGER Drylac® 29/70098 | MET/MT | C



approx. DB 701
TIGER Drylac® 29/70103 | MET/MT | B



approx. DB 703
TIGER Drylac® 29/82030 | MET/MT | B



approx. DB 703 IG
TIGER Drylac® 29/80056 | MET/MT | B





Actual Powder Coated Samples



Beige C-32
TIGER Drylac® 29/15400 | MET/MT | B



Sun Gold
TIGER Drylac® 29/90249 | MET/SGL | B



Brown C-34
TIGER Drylac® 29/65650 | MET/MT | B



Brown C-33
TIGER Drylac® 29/65680 | MET/MT | B



approx. RAL 1035 Pearl Beige
TIGER Drylac® 29/90010 | MET/MT | B



approx. RAL 1036 Pearl Gold
TIGER Drylac® 29/90012 | MET/MT | B



Sparkling Iron Effect Dark
TIGER Drylac® 29/70105 | MET/MT | C



approx. RAL 7048 Pearl Mouse Grey
TIGER Drylac® 29/70326 | MET/MT | B



approx. Iron Glimmer P2
TIGER Drylac® 29/70161 | MET/MT | B



approx. RAL 8029 Pearl Copper
TIGER Drylac® 29/60064 | MET/MT | B

TIGER DIGITAL SERVICES



1,500 Products 24/7
www.tiger-coatings.com/shop

Prior to processing the appropriate Product Data Sheets and Technical Information Sheets must be consulted. *Do not use for primer and e-coat applications.
Metallic effects: please observe the instructions for Application Categories A – D acc. to the Technical Information
Sheet No. 44.

The living global TIGER network at your service.



Production facilities

Austria | China | Canada | Mexico | U.S.A. | Vietnam

Affiliated companies and distribution

Europe

Austria | Albania | Benelux | Bosnia & Herzegovina | Bulgaria | Croatia | Cyprus | Czech Republic
Estonia | France | Germany | Great Britain | Greece | Hungary | Italy | Latvia | Lithuania | Macedonia
Poland | Portugal | Romania | Serbia | Slovakia | Slovenia | Spain | Switzerland | Türkiye | Ukraine

North America

Canada | Mexico | U.S.A.

Asia

China | Japan | Taiwan | Vietnam

Africa

Egypt



www.tiger-coatings.com

